# A Method for the Registration of 3D Blood Vessel Models based on CT and Ultrasound Imaging

### A. Hegner<sup>1</sup>, W. Derwich<sup>2</sup>, A. Wittek<sup>1</sup>, T. Schmitz-Rixen<sup>2</sup>, C. Blase<sup>1</sup>, A. Huß<sup>1</sup>

<sup>1</sup> Frankfurt University of Applied Sciences, Personalized Biomedical Engineering Laboratory, Biomechanics Group, Germany

<sup>2</sup> Goethe University Hospital Frankfurt am Main, Department of Vascular and Endovascular Surgery, Germany

## Background

- The criteria for the surgical treatment of life-threatening abdominal aortic aneurysms (AAAs) are based on diameter and growth rate.
- These criteria, derived from statistical distributions, are not individual and therefore not applicable to all patients.
- Biomechanical modeling is used to find more meaningful, patient-specific factors for surgery indication.

# **Material and Methods**

Patient Specific 3D Blood Vessel Models from Volumetric Image Data



- Various imaging modalities with different advantages can be used to find those new predictors.
- Ultrasound (US) imaging [1] provides dynamic information but only a segment of the AAA. Computed Tomography (CT) [2] provides the whole geometry but just a static picture.
- To use the advantages of both imaging modalities, a registration algorithm for the alignment of both geometries is needed.





#### 2 Registration Routine

Registration using an ICP (Iterative Closest Point) algorithm, which iteratively performs the steps 1-3:



